Safety Data Sheet



Section 1: Identification

Product identifier	
Product Name	 STA-BIL® Ethanol Fuel Treatment & Stabilizer - Protection
Synonyms	• 584094
Product Code	 22101; 22232; 22264; 22265; 22268; 22269; 22274; 22275; 22281; 22282; 22288; 22291; 22296; 22804; 22811; 22815
Relevant identified uses o	of the substance or mixture and uses advised against
Recommended use	Gasoline fuel stabilizer
Restrictions on use	Do NOT use in diesel fuel
Details of the supplier of t	he safety data sheet
Manufacturer	Gold Eagle Co.
	4400 S. Kildare Avenue Chicago, IL 60632-4372 United States http://www.goldeagle.com/
Telephone (General)	• 773-376-4400
Emergency telephone nu	mber
Manufacturer	• 1-800-535-5053 - (INFOTRAC #22283)

Section 2: Hazard Identification

United States (US) According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012	 Flammable Liquids 4 Aspiration 1 Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects Carcinogenicity 2 Reproductive Toxicity 2
abel elements	

Label elements

OSHA HCS 2012





Hazard statements • Combustible liquid May be fatal if swallowed and enters airways May cause drowsiness or dizziness Suspected of causing cancer. Suspected of damaging fertility or the unborn child.

Precautionary statements

Prevention •	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and/or hot surfaces No smoking. Avoid breathing mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response •	In case of fire: Use appropriate media for extinction. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF exposed or concerned: Get medical advice/attention.
Storage/Disposal •	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Other hazards	
OSHA HCS 2012 •	Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Other information



Section 3 - Composition/Information on Ingredients

Substances

• Material does not meet the criteria of a substance.

Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Distillates (petroleum), hydrotreated light	CAS :64742- 47-8	76.15%	NDA	OSHA HCS 2012: Flam. Liq. 4; Asp. Tox. 1; STOT SE 3: Narc.
Sweetened middle distillate	CAS :64741- 86-2	3.32% TO 4.9634%	NDA	OSHA HCS 2012: Not Classified
Solvent naphtha	CAS: 64742- 94-5	2.110108% TO 4.203589%	Inhalation-Rat LC50 • >590 mg/m³ 4 Hour (s) Skin-Rabbit LD50 • >2 mL/kg	OSHA HCS 2012: Not Classified
			Inhalation-Rat LC50 • 450 ppm 4 Hour(s)	

Ethylene glycol monobutyl ether	CAS :111-76 -2	2.25% TO 2.5%	Skin-Rabbit LD50 • 220 mg/kg Ingestion/Oral-Rat LD50 • 250 mg/kg	OSHA HCS 2012: Eye Irrit. 2; STOT SE 3: Narc.; Acute Tox. 4 (oral); Acute Tox. 3 (skn); Repr. 2
Confidential ingredient	NDA	0.166% TO 0.8134%	NDA	OSHA HCS 2012: Not Classified
Naphthalene	CAS:91-20-	0.01500027% TO	Skin-Rabbit LD50 • >20 g/kg	OSHA HCS 2012: Flam. Sol. 2; Acute Tox. 4 (oral); Skin Irrit. 2; Muta. 2; Carc. 2; Repr. 2; STOT SE 3: Narc.;
Naphinalene	3	0.3572027%	Ingestion/Oral-Rat LD50 • 490 mg/kg	STOT RE 1 (Blood, Eyes, Oral, Inhl)

Section 4: First-Aid Measures

Description of first aid measures

Inhalation	 Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical
	attention.
Skin	 In case of burns, immediately cool affected skin for as long as possible with cold water. Donot remove clothing if adhering to skin. Remove and isolate contaminated clothing. Wash skin with soap and water.
Eye	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contactlenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately.
Ingestion	 Do NOT induce vomiting. Get medical attention immediately.
Most important symp	otoms and effects, both acute and delayed
	Refer to Section 11 - Toxicological Information.
Indication of any imn	nediate medical attention and special treatment needed
Notes to Physician	• All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media	
• •	 Use carbon dioxide, dry chemical, foam and/or water fog.
Unsuitable Extinguishing Media	No data available
Special hazards arising	from the substance or mixture
Unusual Fire and Explosion Hazards	 Containers may explode when heated. Vapor explosion hazard indoors, outdoors or in sewers. Combustible material: may burn but does not ignite readily. Many liquids are lighter than water. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Runoff to sewer may create fire or explosion hazard. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Water may cause frothing.
Hazardous Combustion Products	No data available
Advice for firefighters	

Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk. LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- Personal Precautions
 Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE) Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
 As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.
 Environmental precautions

 Prevent entry into waterways, sewers, basements or confined areas.

 Methods and material for containment and cleaning up
- Containment/Clean-up Measures
 • Stop leak if you can do it without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material. A vapor suppressing foam may be used to reduce vapors. All equipment used when handling the product must be grounded. LARGE SPILLS: Dike far ahead of liquid spill for later disposal. LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

• Use only in well ventilated areas. Avoid contact with heat and ignition sources. Take precautionary measures against static charges. Do not use sparking tools. All equipment used when handling the product must be grounded. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing vapors, dust, or spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Conditions for safe storage, including any incompatibilities

Storage

 Store in a tightly closed container. Keep away from incompatible materials. Store in a well-ventilated place. Store in an area equipped with automatic sprinklers or fire extinguishing system. Store below 150° F. Empty containers contain product residues, assume emptied containers to have same hazards as full containers.

Section 8 - Exposure Controls/Personal Protection

Control parameters

	Exposure Limits/Guidelines			
	Result ACGIH NIOSH OSHA			
Naphthalene	TWAs	10 ppm TWA	10 ppm TWA; 50 mg/m3 TWA	10 ppm TWA; 50 mg/m3 TWA
(91-20-3)	STELs	Not established	15 ppm STEL; 75 mg/m3 STEL	Not established

Ethylene glycol monobutyl ether (111-76-2)	TWAs	20 ppm TWA	5 ppm TWA; 24 mg/m3 TWA	50 ppm TWA; 240 mg/m3 TWA
Exposure co	ntrols			
Engineering Measures/Cont	rols		ation should be used. Ventilation able, use process enclosures, loc	

 Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use only appropriately classified electrical equipment.

Personal Protective Equipment

Respiratory	 In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced.
Eye/Face	 Wear chemical splash safety goggles.
Skin/Body	Wear appropriate gloves.
Environmental Exposure Controls	 Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene NIOSH = National Institute of Occupational Safety and Health OSHA = Occupational Safety and Health Administration STEL = Short Term Exposure Limits are based on 15-minute exposures TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Amber to brown liquid with a distillate odor.
Color	Amber to brown.	Odor	Distillate odor.
Odor Threshold	No data available		
General Properties		-	-
Boiling Point	180 °F(82.2222 °C)	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	No data available
Specific Gravity/Relative Density	= 0.83 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	3 Centistoke (cSt, cS) or mm2/sec @ 40 °C(104 °F)		
Volatility		•	•
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Vol.)	100 %
Volatiles (Vol.)	100 %		
Flammability	-	-	•
Flash Point	> 141.5 °F(> 60.8333 °C)	UEL	7 %
LEL	0.8 %	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental	·		<u> </u>
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity		
	 No dangerous reaction known under conditions of normal use. 	
Chemical stability		
	 Stable under normal temperatures and pressures. 	
Possibility of hazardous	s reactions	
	Hazardous polymerization will not occur.	
Conditions to avoid		
	Excess heat. Incompatible materials.	
Incompatible materials		
	Strong oxidants.	
Hazardous decomposition products		
	 Excessive heating and/or incomplete combustion will produce carbon monoxide. 	

Section 11 - Toxicological Information

Information on toxicological effects

	CAS	
STA-BIL® Ethanol Fuel Treatment & Stabilizer - Protection	NDA	Acute Toxicity: Ingestion/Oral-Rat LD50 • >2 g/kg; Skin-Rabbit • >2 g/kg • Comments: No deaths; Irritation: Skin-Rabbit • Essentially non-irritating; Unreported Route-Rabbit • Essentially non-irritating
	-	Components
Solvent naphtha (2.110108% TO 4.203589%)	64742-94-5	Acute Toxicity: Inhalation-Rat LC50 • >590 mg/m ³ 4 Hour(s); Skin-Rabbit LD50 • >2 mL/kg; Behavioral:Somnolence (general depressed activity); Behavioral:Changes in motor activity (specific assay); Behavioral:Irritability; Irritation: Skin-Rabbit • 500 µL 24 Hour(s) • Mild irritation
Naphthalene (0.01500027% TO 0.3572027%)	91-20-3	Acute Toxicity: Ingestion/Oral-Rat LD50 • 490 mg/kg; Ingestion/Oral-Mouse TDLo • 158 mg/kg; Brain and Coverings:Other degenerative changes; Liver:Other changes; Biochemical:Metabolism (intermediary):Lipids, including transport; Inhalation-Human TCLo • 250 mg/m ³ ; Sense Organs and Special Senses:Eye:Lacrimation; Behavioral:Headache; Skin-Rabbit LD50 • >20 g/kg; Unreported-Guinea Pig LD50 • 1200 mg/kg; Behavioral:Somnolence (general depressed activity); Irritation: Skin-Rabbit • 0.05 mL 24 Hour(s) • Severe irritation; Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 500 mg/kg 10 Day(s)-Intermittent; Behavioral:Sleep; Lungs, Thorax, or Respiration:Dyspnea; Ingestion/Oral-Rat TDLo • 4500 mg/kg 10 Day(s)-Intermittent; Brain and Coverings:Other degenerative changes; Mutagen: Micronucleus test • Unreported Route-Human • Lymphocyte (Somatic cell) • 30 mg/L; Reproductive: Ingestion/Oral-Rat TDLo • 2400 mg/kg (7-14D preg); Reproductive Effects:Effects on Newborn:Live birth index; Reproductive Effects:Effects on Newborn:Viability index (e.g., # alive at day 4 per # born alive); Ingestion/Oral-Rat TDLo • 4500 mg/kg (6-15D preg); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Other developmental abnormalities; Tumorigenic:Neoplastic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors; Inhalation-Rat TCLo • 1575 mg/kg 105 Week(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Sense Organs and Special Senses:Olfaction:Tumors; Inhalation-Rat TCLo • 60 ppm 6 Hour(s) 105 Week(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Sense Organs and Special Senses:Olfaction:Tumors
		Acute Toxicity: Ingestion/Oral-Rat LD50 • 917 mg/kg; <i>Liver</i> :Other changes; <i>Kidney, Ureter, and Bladder</i> :Other changes; <i>Blood</i> :Other hemolysis with or without anemia; Inhalation-Rat LC50 • 2900 mg/m ³ 7 Hour(s); <i>Liver</i> :Other changes; <i>Kidney, Ureter, and Bladder</i> :Other changes; <i>Blood</i> :Other hemolysis with or without anemia; Skin-Rabbit LD50 • 220 mg/kg;

Ethylene glycol monobutyl ether 11 (2.25% TO 2.5%)	Irritation: Eye-Rabbit • 100 mg • Severe irritation; Skin-Rabbit • 500 mg-Open • Mild irritation; Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 300 mg/kg 3 Day(s)-Intermittent; Blood:Normocytic anemia; Blood:Other hemolysis with or without anemia; Inhalation-Rat TCLo • 432 ppm 7 Hour(s) 30 Day(s)-Intermittent; Kidney, Ureter, and Bladder:Hematuria; Blood:Other changes; Related to Chronic Data:Death in the Other Multiple Dose data type field; Mutagen: DNA damage • Unreported-Mouse • 3150 mg/kg 7 Day(s); Reproductive: Ingestion/Oral-Rat TDLo • 600 mg/kg (9-11D preg); Reproductive Effects:Effects on Embryo
--	---

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	OSHA HCS 2012 • Data lacking
Skin sensitization	OSHA HCS 2012 • Data lacking
Respiratory sensitization	OSHA HCS 2012 • Data lacking
Aspiration Hazard	OSHA HCS 2012 • Aspiration 1
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 2
Germ Cell Mutagenicity	OSHA HCS 2012 • Non-mutagenic
Toxicity for Reproduction	OSHA HCS 2012 • Toxic to Reproduction 2
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
STOT-RE	OSHA HCS 2012 • Data lacking

Potential Health Effects

Acute (Immediate) • May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.	
Chronic (Delayed) • No data available.	
Skin	
Acute (Immediate) • Material is classified as non-irritant and non-corrosive using GHS criteria.	
Chronic (Delayed) • No data available.	
Еуе	
Acute (Immediate) • Material is classified as non-irritant using GHS criteria.	
Chronic (Delayed) • No data available.	
Ingestion	
 Acute (Immediate) Material may be aspirated into lungs during ingestion and/or subsequent vor Aspiration of this material will cause severe lung injury, chemical pneumonit pulmonary edema or death. 	
Chronic (Delayed) • No data available.	
Carcinogenic Effects Suspected of causing cancer. This product contains components that are concarcinogenic by OSHA, IARC, NTP.	nsidered

Carcinogenic Effects					
CAS IARC NTP					
Naphthalene 91-20-3		Group 2B-Possible Carcinogen	Reasonably Anticipated to be Human Carcinogen		
Reproductive Effects	•	Animal tests for components have shown a	dverse reproductive effects.		

Reproductive Effects

Key to abbreviations

LD = Lethal Dose TC = Toxic Concentration TD = Toxic Dose

Section 12 - Ecological Information		
Toxicity		
	 Non-mandatory section - information about this substance not complied for this reason. 	
Persistence and degradal	bility	
	 Non-mandatory section - information about this substance not complied for this reason. 	
Bioaccumulative potentia	l	
	 Non-mandatory section - information about this substance not complied for this reason. 	
Mobility in Soil		
	 Non-mandatory section - information about this substance not complied for this reason. 	
Other adverse effects		
	 Non-mandatory section - information about this substance not complied for this reason. 	
Section 12 Dispessel Co.	noidenationa	

Section 13 - Disposal Considerations

Waste treatment methods

Product waste	•	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Packaging waste	•	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user • None specified. Transport in bulk according No data available to Annex II of MARPOL 73/78

and the IBC Code

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic, Fire

Inventory		
Component	CAS	TSCA

Anthraquinone, 1,4- bis(methylamino)-	2475-44-7	Yes
Distillates (petroleum), hydrotreated light	64742-47-8	Yes
Ethylene glycol monobutyl ether	111-76-2	Yes
Naphthalene	91-20-3	Yes
Solvent naphtha	64742-94-5	Yes
Sweetened middle distillate	64741-86-2	Yes

United States

Labor			
U.S OSHA - Process Safety Management - Highly Hazardous Chemicals			
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed	
Naphthalene	91-20-3	Not Listed	
Ethylene glycol monobutyl ether	111-76-2	Not Listed	
Solvent naphtha	64742-94-5	Not Listed	
Sweetened middle distillate	64741-86-2	Not Listed	
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed	
U.S OSHA - Specifically Regulated Chemicals			
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed	
Naphthalene	91-20-3	Not Listed	
Ethylene glycol monobutyl ether	111-76-2	Not Listed	
Solvent naphtha	64742-94-5	Not Listed	
Sweetened middle distillate	64741-86-2	Not Listed	
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed	
Environment			
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants			
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed	
Naphthalene	91-20-3		
Ethylene glycol monobutyl ether	111-76-2	Not Listed	

Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
U.S CAA (Clean Air Act) - Accidental Release Prevention - Flammable Substances		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
U.S CAA (Clean Air Act) - Accidental Release Prevention - Toxic Substances		

U.S CAA (Clean Air Act) - Accidental Release Prevention - Toxic Substances		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed

Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities • Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	100 lb final RQ; 45.4 kg final RQ
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
• Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
	2110111	Hot Elotod
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
LLO CERCIA/CARA Continue 242 Emission Remerting		
U.S CERCLA/SARA - Section 313 - Emission Reporting Distillates (petroleum), hydrotreated light 	64742-47-8	Not Listed
• Distillates (petroleum), hydrotreated light	04/42-4/-0	0.1 % de minimis
Naphthalene	91-20-3	concentration
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
LL C. C.W.A. (Classe Wester Act) . Llagardaus Substances		
U.S CWA (Clean Water Act) - Hazardous Substances	64742 47 9	NotListad
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Netlisted
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
U.S CWA (Clean Water Act) - Toxic Pollutants		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	
Ethylene glycol monobutyl ether	111-76-2	Not Listed

Preparation Date: 15/October/2014 Revision Date: 12/April/2018

Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed

United States - California

Environment U.S California - Proposition 65 - Carcinogens List		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	carcinogen, 4/19/2002
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
J.S California - Proposition 65 - Developmental Toxicity		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
J.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
J.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	5.8 μg/day NSRL
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
J.S California - Proposition 65 - Reproductive Toxicity - Female		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-	2475-44-7	Not Listed
J.S California - Proposition 65 - Reproductive Toxicity - Male		
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
Naphthalene	91-20-3	Not Listed
Ethylene glycol monobutyl ether	111-76-2	Not Listed
Solvent naphtha	64742-94-5	Not Listed
Sweetened middle distillate	64741-86-2	Not Listed
Anthraquinone, 1,4-bis(methylamino)-		

Other Information

· WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 16 - Other Information

Revision Date

Liability

 12/April/2018 15/October/2014

- **Preparation Date Other Information**
- Schedule B Number: 3811.90.0000.
- Information presented herein is believed to be factual, as it has been derived from the **Disclaimer/Statement of** works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Key to abbreviations

NDA = No Data Available