

# **SAFETY DATA SHEET**

Version 6.4 Revision Date 01/10/2020 Print Date 08/29/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

Product name	<sup>:</sup> Sodium acetate
Product Number Brand	: S8750 : SIGALD
CAS-No.	: 127-09-3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765

# **1.4** Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

: +1 800 325-5052

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

# **2.2 GHS Label elements, including precautionary statements**

Not a hazardous substance or mixture.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

3.1	Substances				
	Synonyms	: Acetic acid sodium salt			
	Formula	: C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub>			

SIGALD - S8750

Fax

Page 1 of 8



Molecular weight	:	82.03 g/mol
CAS-No.	:	127-09-3
EC-No.	:	204-823-8

No components need to be disclosed according to the applicable regulations.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2** Special hazards arising from the substance or mixture Carbon oxides, Sodium oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

#### **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust. For personal protection see section 8.

SIGALD - S8750

Page 2 of 8



# 6.2 Environmental precautions

Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Avoid formation of dust and aerosols.Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

#### **7.2 Conditions for safe storage, including any incompatibilities** Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): 13: Non Combustible Solids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# **Personal protective equipment**

# Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

SIGALD - S8750

Page 3 of 8



Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	8.5 - 9.9 at 246 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point/range: > 300 °C (> 572 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	> 250 °C (> 482 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available

SIGALD - S8750

Page 4 of 8



	m)	Relative density	1.528 g/cm3
	n)	Water solubility	246 g/l at 20 °C (68 °F) - completely soluble
	o)	Partition coefficient: n-octanol/water	log Pow: -4.22
	p)	Auto-ignition temperature	No data available
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	No data available
9.2	2 Other safety information		
		Bulk density	320 - 470 kg/m3

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No data available

10.2 Chemical stability

Stable under recommended storage conditions.

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Exposure to moisture
- **10.5 Incompatible materials** Strong oxidizing agents
- 10.6 Hazardous decomposition products
   Hazardous decomposition products formed under fire conditions. Carbon oxides, Sodium oxides
   Other decomposition products No data available
   In the event of fire: see section 5

# SECTION 11: Toxicological information

# **11.1 Information on toxicological effects**

# **Acute toxicity**

LD50 Oral - Rat - male and female - 2,700 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 5.6 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - female - > 20,000 mg/kg (OECD Test Guideline 402) No data available

SIGALD - S8750

Page 5 of 8



# Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 24 h (OECD Test Guideline 405)

**Respiratory or skin sensitisation** No data available

# Germ cell mutagenicity

Mouse - male - sperm Result: negative (ECHA)

# Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

# Aspiration hazard

No data available

Additional Information RTECS: AJ4300010

Abdominal pain, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# **12.1 Toxicity**

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h (OECD Test Guideline 202)

SIGALD - S8750

Page 6 of 8



Toxicity to algae	ErC50 - Skeletonema costatum - > 1,000 mg/l - 72 h (ISO 10253)
Toxicity to bacteria	static test EC50 - Pseudomonas putida - 7,200 mg/l - 16 h (DIN 38 412 Part 8)

### 12.2 Persistence and degradability

Biodegradability aerobic Dissolved organic carbon (DOC) - Exposure time 28 d Result: 99 % - Readily biodegradable. (Regulation (EC) No. 440/2008, Annex, C.4-A)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# **12.6 Other adverse effects**

No data available

# SECTION 13: Disposal considerations

# **13.1 Waste treatment methods**

# Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

# DOT (US)

Not dangerous goods

# IMDG

Not dangerous goods

# ΙΑΤΑ

Not dangerous goods

# SECTION 15: Regulatory information

# SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

SIGALD - S8750

Page 7 of 8



This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

No SARA Hazards

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components Sodium acetate	CAS-No. 127-09-3	Revision Date
Sodium acetate	CAS-No. 127-09-3	Revision Date
New Jersey Right To Know Components Sodium acetate	CAS-No. 127-09-3	Revision Date

#### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 01/10/2020

Print Date: 08/29/2020

SIGALD - S8750

Page 8 of 8



