

FLINN SCIENTIFIC, INC.

Safety Data Sheet (SDS)

SDS #: 329.00

Revision Date: December 31, 2013

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Ethylene Dichloride

Flinn Scientific, Inc. P.O. Box 219 Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

Signal Word **DANGER**

Pictograms



SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces (P210).

Hazard class: Acute toxicity, oral (Category 4). Harmful if swallowed (H302). Do not eat or drink when using this product (P270).

Hazard class: Skin and serious eye damage, corrosion or irritation (Category 2, 2A). Causes skin and serious eye irritation (H315+H319).

Hazard class: Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3). May cause respiratory irritation (H335). Avoid breathing vapors, mist or spray (P261).

Hazard class: Carcinogenicity (Category 1). May cause cancer (H350). Obtain special instructions before use (P201). Do not handle until all safety precautions have been read and understood (P202). Use personal protective equipment as required (P281). Possible human carcinogen (IARC-2B).

SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Ethylene dichloride	107-06-2	C ₂ H ₄ Cl ₂	98.97	
Synonym: 1,2-Dichloroethane				

SECTION 4 — FIRST AID MEASURES

Call a POISON CENTER or physician if you feel unwell.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing (P305+P351+P338). **If eye irritation persists:** Get medical advice or attention (P337+P313).

If on skin: Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353).

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell (P301+P330+P312).

SECTION 5 — FIRE FIGHTING MEASURES

Class 1B flammable liquid.

Flash point: 13 °C Flammable limits: Lower: 6.2% Upper: 16% Autoignition Temperature: 413 °C

When heated to decomposition, may emit toxic fumes.

In case of fire: Use a tri-class dry chemical fire extinguisher.

NFPA CODE

H-2

F-3

R-0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #4. Store with ethers, ketones, halogenated hydrocarbons, and ethylene oxide. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in a Flinn Saf-Stor™ can. Keep container tightly closed (P233). Keep cool (P235). Ground or bond container and receiving equipment (P240). Take precautionary measures against static discharge (P243).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash thoroughly after handling (P264).
Exposure guidelines: PEL 50 ppm, STEL 100 ppm (OSHA), TLV 10 ppm (ACGIH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Colorless, oily liquid. Chloroform-like odor.

Soluble: Slightly in water. Miscible with most common organic solvents.

Boiling point: 83.5 °C

Melting point: -36 °C

Refractive index: 1.4422

Specific gravity: 1.2454

SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with oxidizers and aluminum.

Shelf life: Poor. Gradually decomposed by air, light, and moisture forming hydrochloric acid. See Section 7 for further information.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Toxic, irritant, nausea, headache, vomiting, gastrointestinal disturbances.

Chronic effects: Causes dermatitis, possible mutagen.

Target organs: Liver, kidneys.

ORL-RAT LD₅₀: 670 mg/kg

IHL-RAT LC₅₀: 1000 ppm/7H

SKN-RBT LD₅₀: 2800 mg/kg

N.A. = Not available, not all health aspects of this substance have been fully investigated.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #27j is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Ethylene dichloride. Hazard class: 3, Flammable liquid, poison. UN number: UN1184.

N/A = Not applicable

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (203-458-1), RCRA code U077.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

Consult your copy of the *Flinn Science Catalog/Reference Manual* for additional information about laboratory chemicals.