UNISOURCE WORLDWIDE, INC. 133 Peachtree St. NE Atlanta, GA 30303 Emergency No. 1-888-660-6737 Call nearest Sales Office for MSDS Information _____ SECTION 1. IDENTIFICATION OF PRODUCT* _____ Date Issued: 04/10/01 Product Name: CLASSIC SHINE Supercedes: 10-05-92 Unisource Item #: U17318, U17319 Formula: (CREAM POLISH) Trade Name and Synonyms: BRITONE FURNITURE POLISH _____ _____ SECTION 2. INGREDIENTS CAS # % EXPOSURE LIMITS IN AIR OSHA PEL ACGIH TLV OTHER _____ 64741-96-4 23 - 25 5mg/m3 MINERAL OIL 5mg/m3 (mists) 7732-18-5 WATER 68-73 N/D N/D N/D = NOT DETERMINED N/A = NOT APPLICABLE N/E = NOT ESTABLISHED _____ SECTION 3. PHYSICAL DATA _____ Boiling Point (F): 212 FSpecific Gravity (Water=1): 0.974Vapor Pressure (mm Hg.): < 1</td>Percent Volatile (By Volume): 23 - 24Vapor Density (Air=1): N/DEvaporation Rate (WATER=1): 1 Solubility in Water: NON-SOLUBLE pH Range: 8.5 - 9.5 Appearance and Odor: (CREAMY WHITE / MILD ODOR) _____ Section 4. FIRE AND EXPLOSION HAZARD DATA _____ Flash Point (Test Method): 300 F (COC) Flammable Limits: LEL= N/D UEL=N/D Extinguishing Media: DRY CHEMICAL, CO2, WATER SPRAY, FOAM. Auto Ignition Temp.: N/E Special Fire Fighting Procedures: AVOID USE OF WATER IF POSSIBLE. USE AIR-SUPPLIED BREATHING MASK. USE CAUTION WHEN APPROACHING OR HANDLING FIRE-EXPOSED CONTAINERS.

Unusual Fire & Explosion Hazards: CONTAINERS MAY BURST WHEN HEATED TO ELEVATED TEMPERATURES.

MATERIAL SAFETY DATA SHEET

Product Name: CLASSIC SHINE

Date Issued: 4/10/01

_____ SECTION 5. REACTIVITY DATA _____ Stability: STABLE Incompatibility - Materials to Avoid: STRONG OXIDIZING AGENTS (IE., BLEACH). Hazardous Polymerization: WILL NOT OCCUR Conditions to Avoid: HIGH HEAT STORAGE CONDITIONS. NONE OTHER KNOWN TO NSS. Hazardous Decomposition Products: WHEN EXPOSED TO FIRE. COMBUSTION PRODUCTS MAY INCLUDE CARBON NOMOXIDE, SULPHUR DIOXIDE AND NITROGEN OXIDES. PRODUCES OTHER NORMAL PRODUCTS OF COMBUSTION (IE., CO, CO2, STEAM, CARBON, AND OTHER CARBON BASED COMBUSTION PRODUCTS). _____ SECTION 6. SPILL, LEAK AND DISPOSAL PROCEDURES _____ Special Spill Response Procedures: NO SPECIAL INSTRUCTIONS. Small Spills: DILUTE WITH WATER AND PICK UP WITH MOP AND PAIL OR WET PICK-UP VACUUM. Large Spills: DIKE AREA TO CONTAIN SPILL. SCOOP UP FREE-STANDING MATERIAL. ABSORB REMAINDER WITH ORGANIC SOLVENT ABSORBENT. PLACE ALL CONTAMINATED MATERIAL IN AN APPROVED, SEALED CONTAINER FOR DISPOSAL. Disposal: DISPOSE OF ALL WASTES IN ACCORDANCE WITH FEDERAL/STATE REGULATIONS AND LOCAL ORDINANCES. Contain. Disp.: TRIPLE-RINSE. RECYCLE/RETURN EMPTY CONTAINERS TO SUPPLIER/ VENDOR OR DISCARD AS PERMITTED FEDERAL/STATE REGULATIONS AND LOCAL ORDINANCES. _____ SECTION 7. HEALTH HAZARD DATA _____ Primary Routes of Entry: EYES, SKIN. Overexposure Symptooms: Eye Contact: EYE IRRITANT. MAY CAUSE REDNESS, TEARING AND BLURRED VISION. Skin Contact: SKIN IRRITANT. CAN CAUSE ITCHING AND REDNESS. DEFATTING OF THE SKIN LEADING TO SKIN CRACKING, IRRITATION AND POSSIBLY DERMATITIS. Inhalation: MISTS CAN CAUSE IRRITATION TO THE RESPIRATORY TRACT. Ingestion: MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, AND DIARRHEA. ASPIRATION OF VOMIT INTO THE LUNGS CAN CAUSE BRONCHOPNEUMONIA OR PULMONARY EDEMA. Acute Health Hazards: EYE/RESPIRATORY IRRITATION: SKIN DE-FATTENING. Chronic Health Hazards: NONE KNOWN TO NSS.

MATERIAL SAFETY DATA SHEET Page: 3 of 4

Product Name: CLASSIC SHINE Date Issueed: 4/10/01

SECTION 8. EMERGENCY AND FIRST AID PROCEDURES
 Eye Contact: IMMEDIATELY FLUSH THR EYE WITH LARGE QUANTITIES OF FRESH, RUNNING WATER FOR A MINIMUM OF 15 MINUTES. HOLD THE EYELIDS APART DURING THE IRRIGATION TO ENSURE FLUSHING OF THE ENTRIRE SURFACE OF THE EYE LID WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION/BURNING EXISTS. Skin Contact: FLUSH THE EFFECTED AREA WITH RUNNING WATER AND WASH WITH SOAP AND WARM WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CLOTHING BEFORE REUSE. GET MEDICAL ATTENTION IF IRRIATATION PERISTS. Inhalation: MOVE PERSON TO FRESH AIR. IF SYMPTOMS OF RESPIRATORY DISCOMFORT PERSIST. GET MEDICAL ATTENTION. Ingestion: DO NOT INDUCE VOMITING. REQUIRES IMMEDIATE MEDICAL MANAGEMENT. DRINK MILK OR WATER. VOMITING SHOULD BE INDUCED ONLY ON RECOMMENDATION OF MEDICAL PERSONNEL. ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE CHEMICAL PREUMONITIS WHICH CAN BE FATAL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
SECTION 9. SPECIAL PROTECTION INFORMATION
 Respiratory Protection: NO SPECIALL REQUIREMENTS UNDER NORMAL CONDITIONS. Ventilation: OUTDOORS: N/A WHEN USED OUTDOORS. INDOORS: GENERAL MECHANICAL VENTILATION OSHOULD BE ADEQUATE. Protection -Gloves: USE OIL RESISTANT GLOVES. SUPERVISORY DISCRETION ADVISED. Eye Protection: SAFETY GLASSES, CHEMICAL GOGGLES AND/OR FACE SHIELD ARE RECOMMENDED TO SAFEGARD AGAINST POTENTIAL EYE CONTACT. IRRITATION. Other Measures: APPROPRIATE PROTECTIVE EQUIPMENT WHEN GROSS EYE/SKIN CONTACT MAY OCCUR. THE AVAILABILITY OF EYE WASHES AND SAFETY SHOWERS IN WORK AREAS IS RECOMMENDED. Hygienic Practices: WASH HANDS WITH SOAP AND WARM WATER AFTER USE. REMOVE AND WASH CLOTHING AFTER USE.
SECTION 10. ADDITIONAL PRECAUTIONS
Handling and Storage: STORE IN COOL, DRY PLACE. FOLLOW LABEL DIRCTIONS. KEEP OUT OF REACH OF CHILDREN. REPLACE CAP AFTER USE.
SARA TITLE III H&P RATINGS: Acute - YES Chronic - NO Fire - NO Press. Release - NO Reactivity - NO
Other Regulatory Ratings: CERCLA - NO NTP - NO ACGIH - YES Sub Z - YES IARC: NO CALIF. PROP 65: N/D HMIS Ratings: HEALTH - 1 FIRE - 1 REACTIVITY - 0 PROTECTION - B NFPA RATINGS: HEALTH -1 FIRE -0 REACTIVITY -0 SPECIAL - Additional Precautions: NONE

MATERIAL SAFETY DATA SHEET Product Name: CLASSIC SHINE Date Issueed: 4/10/01

SECTION 11. REGULATORY/DOT CLASSIFICATIONS (OPTIONA) HM-181 Proper Shipping Name (DOT): HM-181 Description (DOT) UN Number: Other: THE INFORMATION ON THIS MATERIAL CAPETY DATA SHEET DEDDESENTS THE LATEST

THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET REPRESENTS THE LATEST DATA AND BEST OPINION AS TO THE PROPER USE AND HANDLING OF THIS PRODUCT UNDER NORMAL CONDITIONS. ANY USE OF THIS PRODUCT OR METHOD OF APPLICATION WHICH IS NOT IN CONFORMANCE WITH THIS DATA SHEET AND THE PRODUCT LABEL DIRECTIONS, IS THE RESPONSIBILITY OF THE USER. THIS MATERIAL SAFETY DATA SHEET WAS PREPARED TO COMPLY WITH THE OSHA HAZARD COMMUNICATION REGULATION.